Phone: 613-658-3055 Fax: 613-658-3445 Toll Free: 866-848-9099

E-mail: mail@twpec.ca

P.O. Box 129, 18 Centre St. Spencerville, Ontario KOE 1XO

Requirements to obtain a building permit for a GARAGE, SHED (Over 160 sq.ft.), DECK, and INTERIOR OR EXTERIOR RENOVATIONS & ADDITIONS

- Completed application form. (Boxes A, B, C, D & E if applicable F and I)
- Sufficient drawings, specifications and documents as deemed necessary to determine compliance with the Ontario Building Code and other applicable laws. Chief Building Official to determine what drawings are necessary. Single line drawings will not be accepted.
- 3. Supply engineered drawings where required.
- Site plan drawing depicting lot lines, location of buildings, building setback measurements, set back to well and septic system.
- 5. Proposed grading plan.
- 6. Energy Efficiency Design Summary (for additions only).
- If extensive renovations or additions, a review of the septic system may be required. Contact South Nation Conservation Authority at 613-984-2948.
- 8. Payment of all applicable fees.
- 9. Please note that depending on soil conditions a report from a qualified geotechnical engineer may be required prior to any building taking place.

Any questions regarding building or zoning matters can be directed to the Chief Building Official at 613-658-3055 X102 or cbo@twpec.ca

Application for a Permit to Construct or Demolish

This form is authorized under subsection 8(1.1)of the Building Code Act, 1992

	1 m 1 m 1 m 1 m 1 m 1 m 1 m 1 m 1 m 1 m	For use by	Principal Autho	rity	2000		
Application number:			Permit number(Permit number(if different):			
Date received:			Roll number:	Roll number:			
Application submitted t	o: TOWNSHIP OF (Name of municip	EDWARDSB pality, upper-tier mu	URGH/CARDIN unicipality, board of he	IAL ealth or conserv	ation authority)		
A. Project informat	ion						
Building number, street name					Unit number	Lot/con.	
Municipality		Postal code	Plan	umber/other o	description		
Project value est. \$			Area	of work (m ²)			
B. Purpose of appli	cation						
□Newconstruction		an g building	□Alteration/repair	. 0	Demolition	Conditional Permit	
Proposed use of buildi	ng	Cu	rrent use of building	9			
		-0	Authorities		£ 2		
C. Applicant Last name	Applicant is:	Owner or First name		Authorized agent of owner Corporation or partnership			
Last hamo		I not name	00100	ration of part	Totomp		
Street address					Unit number	Lot/con.	
Municipality		Postal code	Provin	nce	E-mail		
Telephone number ()				Cell number ()			
D. Owner (if differe	nt from applicant)						
Last name		First name	Corpo	oration or part	nership		
Street address					Unit number	Lot/con.	
Municipality		Postal code	Provi	nce	E-mail		
Telephone number ()		Fax ()			Cell number		

E. Builder (optional)					
Last name	First name	Corporation or partnershi	p (if applicable)	(1) · · · · · · · · · · · · · · · · · · ·	
Street address Unit n				Lot/con.	
Municipality	Postal code	Province E-mail			
Tillianting	Гоч	Cell number			
Telephone number ()	Fax ()		()		
F. Tarion Warranty Corporation (Ontario New Home Warr	anty Program)			
i. Is proposed construction for a n	ew home as defined in the C		□Yes	□No	
ii. Is registration required under the		ies Plan Act?	□Yes	□No	
iii. If yes to (ii)provide registration	number(s):				
G. Required Schedules					
i) Attach Schedule 1 for each individua	lwho reviewsand takes response	onsibility for design activities.			
ii) Attach Schedule 2where application	s to construct on-site, install	or repair a sewage system.			
H. Completeness and compliance	with applicable law				
 This application meets all the require Building Code (the application is ma applicable fields have been complet schedules are submitted). 	de in the correct form and by	the owner or authorized agent,		□No	
Payment has been made of all fees regulation made under clause 7(1) (application is made.	that are required, under the acc) of the <i>Building Code Act</i> ,	applicable by-law, resolution or 1992, to be paidwhen the	□Yes	□No	
ii) This application is accompanied by the resolution or regulation made under			aw, □Yes	□No	
iii) This application is accompanied by t law, resolution or regulation made u the chief building official to determin contravene any applicable law.	nder clause 7(1)(b) of the Bu	ilding Code Act, 1992 which en	able	□No	
iv) The proposed building, construction	or demolition will not contrav	vene any applicable law.	□Yes	□No	
I. Declaration of applicant					
(print name)			de	eclare that:	
(print name)					
documentation is true to the be	est of my knowledge.	edules, attached plans and spec ority to bind the corporation or p		her attached	
Date	Signatu	reofapplicant		_	

Personal information contained in this form and schedules is collected under the authority of subsection 8(1.1) of the *Building Code Act, 1992*, and will be used in the administration and enforcement of the *Building Code Act, 1992*. Questions about the collection of personal information may be addressed to: a) the Chief Building Official of the municipality or upper-tier municipality to which this application is being made, or, b) the inspector having the powers and duties of a chief building official in relation to sewage systems or plumbing for an upper-tier municipality, board of health or conservation authority to whom this application is made, or, c) Director, Building and Development Branch, Ministry of Municipal Affairs and Housing 777 Bay St., 2nd Floor. Toronto, M5G 2E5 (416) 585-6666.

BUILDING PERMIT SITE PLAN

Accessory buildin	g location		
Proposed addition Setbacks from pro	n/deck/accessory build operty lines for propose	ing location	
	, and the proposition		

Schedule 1: Designer Information

			Unit no.	Lot/con.
Municipality	Postal code	description		
D. In dividual colored and increase.	de la compani la lita de			The second second
B. Individualwhoreviewsand	makes responsibilityro			DESCRIPTION OF THE PARTY NAMED IN
Name		Firm		
Street address		<u>-</u>	Unit no.	Lot/con.
Municipality	Postal code	Province	E-mail	
Telephone number	Fax number		Cell number	
()	()		()	
C. Design activities underta	ken byindividual iden	tifiedin Section B.	Building Code Table	3.5.2.1.of
Division C] □House	□HVAC ~ H	House	□Building St	ructural
□Small Buildings	□Building S		□Plumbing =	
□Large Buildings		Lighting and Power		- All Buildings
□Complex Buildings	□Fire Prote			wage Systems
Description of designer's work	El lie i lote	otion	EGIT ONG GO	wage cyclome
			declare that (choo	se one asappropriate
	(print name)			
☐ I review and take resp	oonsibility for the design w	ork on behalf of a firm	n registered under subse	ection 3.2.4.of Divisio
	code. I am qualified, and the			
o, or the bullding c			i the appropriate classes	s/categories.
			i the appropriate classes	s/categories.
Individual BCII	N:		i the appropriate classe:	s/categories.
	N:		i the appropriate classe:	s/categories.
Individual BCII Firm BCIN:	N:			
Individual BCII Firm BCIN: □I reviewand take response	N:	d am qualified in the a		
Individual BCII Firm BCIN: I reviewand take responder subsection 3	N:onsibility for the design an	d am qualified in the a		
Individual BCII Firm BCIN: I reviewand take responder subsection 3 Individual BCII	onsibility for the design and 2.5.5 of Division C, of the B	d am qualified in the a suilding Code.	appropriate category as a	
Individual BCII Firm BCIN: I reviewand take responder subsection 3 Individual BCII Basis for exem	onsibility for the design and 2.5.5 of Division C, of the BN:	d am qualified in the a suilding Code.	appropriate category as a	an "other designer"
Individual BCII Firm BCIN: I reviewand take responder subsection 3 Individual BCII Basis for exemental and the second	onsibility for the design and 2.5.5.of Division C, of the BN:	d am qualified in the a suilding Code.	appropriate category as a	an "other designer"
Individual BCII Firm BCIN: I reviewand take responder subsection 3 Individual BCII Basis for exemother the design work is exempted by the second s	onsibility for the design and 2.5.5 of Division C, of the BN:	d am qualified in the a suilding Code.	appropriate category as a	an "other designer"
Individual BCII Firm BCIN: I reviewand take responder subsection 3 Individual BCII Basis for exemorable design work is exemorable between the certify that:	onsibility for the design and 2.5.5.of Division C, of the BN:	d am qualified in the assuilding Code. and qualification required qualification:	appropriate category as a	an "other designer"
Individual BCII Firm BCIN: I reviewand take responder subsection 3 Individual BCII Basis for exemometric design work is exempted by the second secondary in the contain secondary in the information contains.	onsibility for the design and 2.5.of Division C, of the BN:	d am qualified in the assuilding Code. and qualification required qualification: to the best of my know	appropriate category as a suppropriate category	an "other designer"
Individual BCII Firm BCIN: I reviewand take respondence subsection 3 Individual BCII Basis for exemometric design work is exempled by the second secondary that: 1. The information contain	onsibility for the design and 2.5.of Division C, of the BN:	d am qualified in the assuilding Code. and qualification required qualification: to the best of my know	appropriate category as a suppropriate category	an "other designer"
Individual BCII Firm BCIN: I reviewand take respondence subsection 3 Individual BCII Basis for exemometric design work is exempled by the second secondary that: 1. The information contain	onsibility for the design and 2.5.of Division C, of the BN:	d am qualified in the assuilding Code. and qualification required qualification: to the best of my know	appropriate category as a suppropriate category	an "other designer"

NOTE:

- 1. For the purposes of this form, "individual" means the "person" referred to in Clause 3.2.4.7(1) (c). of Division C, Article 3.2.5.1. of Division C, and all other persons who are exempt from qualification under Subsections 3.2.4. and 3.2.5. of Division C.
- 2. Schedule 1 is not required to be completed by a holder of a license, temporary license, or a certificate of practice, issued by the Ontario Associati Architects. Schedule 1 is also not required to be completed by a holder of a license to practise, a limited license to practise, or a certificate of authorization, issued by the Association of Professional Engineers of Ontario.

Energy Efficiency Design Summary: Performance & Other Acceptable Compliance Methods

(Building Code Part 9, Residential)

This form is used by a designer to demonstrate that the energy efficiency design of a house complies with the building code using the Performance or Other Acceptable Compliance Methods described in Subsections 3.1.2. and 3.1.3. of SB-12,

This form must accurately reflect the information contained on the drawings and specifications being submitted. Refer to Supplementary Standard SB-12 for details about building code compliance requirements. Further information about energy efficiency requirements for new buildings is available from the provincial building code website or the municipal building department.

	For use by Princip	al Aut	hority			
Application No:		Model/Certification Number				
		100		100		
A. Project Information						
Building number, street name				Unit number	LovCon	
Municipality	Postal code	Reg. PI	an number / other descrip	ition		
		Todas occo				
B. Compliance Option [indicate the	he building code compliance optio	n bein	ng employed in this h	ouse design]		
☐ SB-12 Performance* [SB-12 - 3.1	* Attach energy perfo	* Attach energy performance results using an approved software (see guide)				
☐ ENERGY STAR®* [SB-12 - 3.1.3.	.] * Attach Builder Option	* Attach Builder Option Package [BOP] form				
☐ R-2000® *[SB-12 - 3.1.3.]	* Attach R-2000 HOT	* Attach R-2000 HOT2000 Report				
C. Project Building Design Co	onditions					
Climatic Zone (SB-1):	Heating Equipment Efficien		Space Heating Fu			
□ Zone 1 (< 5000 degree days)	□ ≥ 92% AFUE			Propane	□ Solid Fuel	
□ Zone 2 (≥ 5000 degree days)	□ ≥ 84% < 92% AFUE			Electric	□ Earth Energy	
Ratio of Windows, Skylights & Glass	(W, S & G) to Wall Area		Other Building C			
					ide ICF Basement	
Area of walls =ft ²				□ Slab-on-ground □ Walkout Basement		
	W, S & G % =		□ Air Conditioning			
			□ Air Source Heat			
Area of W, S & G = $_{m^2}$ or $_{t^2}$			□ Ground Source	Heat Pump (GSHP	")	
SB-12 Performance Reference Buildin	ng Design Package indicatin	g the	prescriptive pac	kage to be compa	red for compliance	
SB-12 Referenced Building Package	e (input design package): F	Packa	age:	Table:		

D. Building Specifications [provide values and ratings of the energy efficiency components proposed, or attach ENERGY STAR BOP form

Building Component	Minimum R	RSI / R values Im U-Value ⁽¹⁾	Building Com onent	Efficiency Ratings	
Thermal Insulation Nominal Effective		Effective	Windows & Doors Provide U-Value ⁽¹⁾ or ER rating		
Ceiling with Attic Space			Windows/Sliding Glass Doors		
Ceiling without Attic Space			Skylights/Glazed Roofs		
Exposed Floor			Mechanicals		
Walls Above Grade			Heating Equip.(AFUE)		
Basement Walls			HRV Efficiency (SRE% at 0°C)		
Slab (all >600mm below grade)			DHW Heater (EF)		
Slab (edge only ≤600mm below grade)			DWHR (CSA B55.1 (min. 42% efficiency))	# Showers_	
Slab (all ≤600mm below grade, or heated)			Combined Space / Dom. Water Heating	^	

⁽¹⁾ U value to be provided in either W/(m²•K) or Btu/(h•ft²•F) but not both.

E. Performance Design Verification [Subsection 3.1.2. Performance Compliance]							
The annual energy consumption using Subsection 3.1.1. Sl		Package isGJ (1 GJ =1000MJ)					
The annual energy consumption of this house as designed isGJ							
The software used to simulate the annual energy use of the	building is:						
The building is being designed using an air tightness basel							
☐ OBC reference ACH, NLA or NLR default values (no	Y	•					
☐ Targeted ACH, NLA or NLR. Depressurization test to	meetAC	CH50 or NLR or NLA					
☐ Reduction of overall thermal performance of the pro- envelope of the compliance package it is compared		be is not more than 25% of the					
☐ Standard Operating Conditions Applied (A-3.1.2.1 - 4	1.6.2)						
☐ Reduced Operating Conditions for Zero-rated home:	Applied (A-3.1.2.1 - 4.	6.2.5)					
☐ On Site Renewable(s): Solar:							
Other Types:							
F. ENERGY STAR or R-2000 Performance Design	Verification (Subsection	3.1.3. Other Acceptable Compliance Methods]					
☐ The NRCan "ENERGY STAR for New Homes Standard design result in the building performance meeting or esupplementary Standard SB12 (A-3.1.3.1).							
☐ The NRCan, "2012 R-2000 Standard" technical requirements, applied to this building design result in the building performance meeting or exceeding the prescriptive performance requirements of the Supplementary Standard SB12 (A-3.1.3.1).							
Performance Energy Modeling Professional							
Energy Evaluator/Advisor/Rater/CEM Name and company:	Accreditation or Evaluator	//Advisor/Rater License #					
ENERGY STAR or R-2000							
Energy Evaluator/Advisor/Rater/ Name and company:	Evaluator/Advisor/Rater I	icense #					
C. Donimon(a)							
G. Designer(s) [name(s) & BCIN(s), if applicable, of person(s) providing information herein to substantiate that design meets the building code]							
Qualified Designer: Declaration of designer to have reviewed and take Name	BCIN	Signature					
Traine	DOM	orginatore					

Form authorized by OHBA, OBOA, LMCBO. Revised December 1, 2016

Guide to the Energy Efficiency Design Summary Form for Performance & Other Acceptable Compliance Methods

COMPLETING THE FORM

B. Compliance Options

Indicate the compliance option being used.

- <u>SB-12 Performance</u> refers to the method of compliance in Subsection 3.1.2. of SB-12. Using this approach the designer must use recognized energy simulation software (such as HOT2000 V10.51 or newer), and submit documents which show that the annual energy use of the proposed building is equal to or less than a prescriptive (referenced) building package.
- <u>ENERGY STAR</u> houses must be designed to <u>ENERGY STAR</u> requirements and verified on completion by a licensed energy evaluator and/or service organization. The <u>ENERGY STAR</u> BOP form must be submitted with the permit documents.
- R-2000 houses must be designed to the R-2000 Standard and verified on completion by a licensed energy
 evaluator and/or service organization. The HOT2000 report must be submitted with the permit documents.

C. Project Design Conditions

Climatic Zone: The number of degree days for Ontario cities is contained in Supplementary Standard SB-1 Windows, Skylights and Glass Doors: If the ratio of the total gross area of windows, sidelights, skylights, glazing in doors and sliding glass doors to the total gross area of walls is more than 17%, higher efficiency glazing is required. The total area is the sum of all the structural rough openings. Some exceptions apply. Refer to 3.1.1.1. of SB-12 for further details.

Fuel Source and Heating Equipment Efficiency: The fuel source and efficiency of the proposed heating equipment must be specified in order to determine which <u>SB-12 Prescriptive</u> compliance package table applies. Other Building Conditions: These construction conditions affect SB-12 Prescriptive compliance requirements.

D. Building Specifications

Thermal Insulation: Indicate the RSI or R-value being proposed where they apply to the house design. Refer to SB-12 for further details.

E. Performance Design Summary

A summary of the performance design applicable only to the SB-12 Performance option.

F. ENERGY STAR or R-2000 Performance Method

Design to ENERGY STAR or R-2000 Standards.

G. House Designer

The building code requires designers providing information about whether a building complies with the building code to have a BCIN. Exemptions apply to architects, engineers and owners designing their own house.

BUILDING CODE REQUIREMENTS FOR AIRTIGHTNESS IN NEW HOUSES

All houses must comply with increased air barrier requirements in the building code. Notice of air barrier completion must be provided and an inspection conducted prior to it being covered.

The air leakage rates in Table 3.1.2.1. are not requirements. The Table is not intended to require or suggest that the building meet those airtightness targets. They are provided only as default or reference values for the purpose of annual energy simulations, should the builder/owner decide to perform such simulations. They are given in three different metrics; ACH, NLA, NLR. Any one of them can be used. They can be used as a default values for both a reference and proposed building or, where an air leakage test is conducted and credit for airtightness is claimed, the airtightness values in Table 3.1.2.1. can be used for the reference building and the actual leakage rates obtained from the air leakage test can be used as inputs for the proposed building.

OBC Reference Default Air Leakage Rates (Table 3.1.2.1.)

ODO I CICICIOC DOIAGIL / III	Leakage Hales (Table 6.1.2.1.)			
Detached dwelling	3.0 ACH50	NLA 2.12 cm ² /m ²	NLR 1.32 L/s/m ²	
Attached dwelling	3.5 ACH50	NI A 2 27 cm ² /m ²	NLR 1.44 L/s/m ²	

The building code requires that a blower door test be conducted to verify the air tightness of the house during construction if the <u>SB-12 Performance</u> option is used and an air tightness of less than 3.0 ACH @ 50 Pa (or NLA or NLR equivalent) in the case of detached houses, or 3.5 ACH @ 50 Pa (or NLA or NLR equivalent) in the case of attached houses is necessary to meet the required energy efficiency standard.

ENERGY EFFICIENCY LABELING FOR NEW HOUSES

ENERGY STAR and R-2000 may issue labels for new homes constructed under their energy efficiency programs. The building code does not currently regulate or require new home labeling.