Phone: 613-658-3055 Fax: 613-658-3445 Toll Free: 866-848-9099

E-mail: mail@twpec.ca

P.O. Box 129, 18 Centre St. Spencerville, Ontario KOE 1XO

# Requirements to obtain a building permit for a GARAGE, SHED (Over 160 sq.ft.), DECK, and INTERIOR OR EXTERIOR

### **RENOVATIONS & ADDITIONS**

- 1. Completed application form. (Boxes A, B, C, D & E if applicable F and I)
- Sufficient drawings, specifications and documents as deemed necessary to determine compliance with the Ontario Building Code and other applicable laws. Chief Building Official to determine what drawings are necessary. Single line drawings will not be accepted.
- 3. Supply engineered drawings where required.
- 4. Site plan drawing depicting lot lines, location of buildings, building setback measurements, set back to well and septic system.
- 5. Proposed grading plan.
- 6. Energy Efficiency Design Summary (for additions only).
- 7. If extensive renovations or additions, a review of the se<u>p</u>tic system may be re<u>q</u>uired. Contact South Nation Conservation Authority at 613-984-2948.
- 8. Payment of all applicable fees.
- 9. Please note that depending on soil conditions a report from a qualified geotechnical engineer may be required prior to any building taking place.

Any questions regarding building or zoning matters can be directed to the Chief Building Official at 613-658-3055 X102 or cbo@twpec.ca

# **Application for a Permit to Construct or Demolish**

This form is authorized under subsection 8(1.1)of the *Building Code Act*, 1992

For use by Principal Authority						
Application number: Permit number(if						
Determonist de						
Date received:		Roll nur	nber:			
Application submitted to: TOWNSHIP OF E	DWARDSBU	JRGH/C	ARDINAL			
· ·	lity, upper-tier mur	nicipality, bo	pard of health or conser	vation authority)		
A. Project information  Building number, street name				Unit number	Lot/con.	
building number, street name				Onit number	Lovcon.	
Municipality	Postal code		Plan number/other	description		
Project value est. \$			Area of work (m <sup>2</sup> )			
B. Purpose of application						
□Newconstruction □Addition to a	an l	□Alteratio	n/renair =	Demolition	 □Conditional	
existing t		-Alteration	ii/iepaii ==	Demonitor	Permit	
Proposed use of building	Curr	ent use of	building			
Description ofproposedwork						
Description diproposedwork						
C. Applicant Applicant is:	Owner or		Authorized agent	of owner		
Last name First name Corporation or partnership						
Street address				Unit number	Lot/con.	
Street address				Onit number	Lovcon.	
Municipality	Postal code		Province	E-mail		
Telephone number Fax				Cell number		
D. Owner (if different from applicant)	/					
Last name First name Corporation or partnership						
Lastrianio	T II OT TIGITIO		Corporation of part	oromp		
Street address	1			Unit number	Lot/con.	
Municipality	Postal code	<del></del>	Province	E-mail		
Telephone number	Fax			Cell number		
( )	( )			( )		

E. Builder (optional)					
Last name	First name	Corporation or partnersh	nip (if applicat	ole)	
Street address			Unit number	Lot/con.	
Municipality	Postal code	Province	E-mail	1	
Telephone number ( )	Fax ( )		Cell number		
F. Tarion Warranty Corporation (Ontario	<b>New Home Warrant</b>	y Program)			
<ul> <li>i. Is proposed construction for a new home Plan Act? If no, go to sectionG.</li> </ul>				iYes □No	
ii. Is registration required under the Ontario	NewHome Warranties I	Plan Act?		iYes □No	
iii. If yes to (ii)provide registration number(s	s):		<b>,</b>		
G. Required Schedules	·				
i) Attach Schedule 1 for each individualwho revi	ewsand takes responsi	oility for design activities.			
ii) Attach Schedule 2where application is to cons	·	,			
H. Completeness and compliancewith ap	plicable law				
i) This application meets all the requirements of clauses 1.3.1.3 (5) (a) to (d) of Division C of the Building Code (the application is made in the correct form and by the owner or authorized agent, all applicable fields have been completed on theapplication and required schedules, and all required					
schedules are submitted).  Payment has been made of all fees that are required, under the applicable by-law, resolution or regulation made under clause 7(1) (c) of the <i>Building Code Act, 1992</i> , to be paidwhen the application is made.					
ii) This application is accompanied by the plans and specifications prescribed by the applicable by-law, resolution or regulation made under clause 7(1)(b) of the <i>Building Code Act,1992</i> .					
iii) This application is accompanied by the information and documents prescribed by the applicable by- law, resolution or regulation made under clause 7(1)(b) of the <i>Building Code Act, 1992</i> which enable the chief building official to determine whether the proposed building, construction or demolition will contravene any applicable law.					
iv) The proposed building, construction or demolition will not contravene any applicable law.					
I. Declaration of applicant			<u> </u>	<u>,</u>	
I(print name)				declare that:	
<ol> <li>The information contained in this application, attached schedules, attached plans and specifications, and other attached documentation is true to the best of my knowledge.</li> <li>If the owner is a corporation or partnership, I have theauthority to bind the corporation or partnership.</li> </ol>					
Date	Signatureofa	applicant			

Personal information contained in this form and schedules is collected under the authority of subsection 8(1.1) of the *Building Code Act, 1992*, and will be used in the administration and enforcement of the *Building Code Act, 1992*. Questions about the collection of personal information may be addressed to: a) the Chief Building Official of the municipality or upper-tier municipality to which this application is being made, or, b) the inspector having the powers and duties of a chief building official in relation to sewage systems or plumbing for an upper-tier municipality, board of health or conservation authority to whom this application is made, or, c) Director, Building and Development Branch, Ministry of Municipal Affairs and Housing 777 Bay St., 2<sup>nd</sup> Floor. Toronto, M5G 2E5 (416) 585-6666.

### **BUILDING PERMIT SITE PLAN**

## **Schedule 1: Designer Information**

e on e form for each individual who reviews and takes responsibility for design activities with respect to the project.

A. Project Information

A. Project information						
Building number, streetname			Unit no.	Lot/con.		
Municipality Postal code Plan number/ other descript			tion	1		
B. Individualwhoreviewsandtakes responsibilityfor design activities						
Name		Firm				
Street address			Unit no.	Lot/con.		
Municipality	Postal code	Province	E-mail			
Telephone number	Fax number	<u> </u>	Cell number			
	)					
C. Design activities undertaken bying Division C]	dividual ident	ifiedin Section B.[Buildir	ng Code Table 3.5	.2.1.of		
□House	□HVAC – H	ouse	□Building Structu	ral		
□Small Buildings	□Building Se		□Plumbing – Hou			
□Large Buildings		Lighting and Power	□Plumbing – All E			
□Complex Buildings	□Fire Protect	ction	□On-site Sewage			
Description of designer's work						
D. Declaration of Designer						
1		do	alara that (ahaasa a	no ocennrenrieta):		
I	<del></del>	ae	clare that (choose o	ne asappropriate).		
(print name	<del>)</del> )					
				004 (5:::		
☐ I review and take responsibility for						
C, of the Building Code. I am	-	- · · ·	propriate classes/cat	egories.		
Individual BCIN:						
Firm BCIN:						
□I reviewand take responsibility for	the design and	l am qualified in the appropria	ite category as an "o	ther designer"		
under subsection 3.2.5.of Divis	sion C. of the Ri	uilding Code	ite category as arr o	ther designer		
	•	J				
Individual BCIN:						
Basis for exemption from registration:						
□The design work is exempt from the registration and qualification requirements of the Building Code.						
Basis for exemption from	•					
-	. ogioti attori arta	quamouton				
I certify that:						
<ol> <li>The information contained in this schedule istrue to the best of my knowledge.</li> </ol>						
I have submitted this application w	2. I have submitted this application with the knowledge and consent of the firm.					
Doto		Cianatura of Daniana				
Date		SignatureofDesigner				

#### NOTE:

- 1. For the purposes of this form, "individual" means the "person" referred to in Clause 3.2.4.7(1) (c). of Division C, Article 3.2.5.1. of Division C, and all other persons who are exempt from qualification under Subsections 3.2.4. and 3.2.5. of Division C.
- Schedule 1 is not required to be completed by a holder of a license, temporary license, or a certificate of practice, issued by the Ontario Association of
  Architects. Schedule1 is also not required to be completed by a holder of a license to practise, a limited license to practise, or a certificate of
  authorization, issued by the Association of Professional Engineers of Ontario.

# **Energy Efficiency Design Summary: Performance & Other Acceptable Compliance Methods**

(Building Code Part 9, Residential)

This form is used by a designer to demonstrate that the energy efficiency design of a house complies with the building code using the Performance or Other Acceptable Compliance Methods described in Subsections 3.1.2. and 3.1.3. of SB-12,

This form must accurately reflect the information contained on the drawings and specifications being submitted. Refer to Supplementary Standard SB-12 for details about building code compliance requirements. Further information about energy efficiency requirements for new buildings is available from the provincial building code website or the municipal building department.

For use by Principal Authority							
Application No:	odel/Certification Number						
A. Project Information							
Building number, street name			Unit number	Lot/Con			
Municipality	Postal code   Re	eg. Plan number / other descrip	tion				
Manopany	1 Coldi codo	g. Harriamber / ether decemp					
P. Compliance Option Fallows	ha haifi dha a a da a a a a dha a a a a dha a a a	hadan amalamad ta dida ka	da.alaalaal				
B. Compliance Option [indicate the							
☐ SB-12 Performance* [SB-12 - 3.4]	☐ SB-12 Performance*[SB-12 - 3.1.2.] * Attach energy performa			ance results using an approved software (see guide)			
☐ ENERGY STAR®* [SB-12 - 3.1.3	Package [BOP] for	Package [BOP] form					
☐ <i>R-2000</i> ® *[SB-12 - 3.1.3.]	00 Report						
C. Project Building Design Conditions							
Climatic Zone (SB-1):	Heating Equipment Efficience	y Space Heating Fu	el Source				
□ Zone 1 (< 5000 degree days)	□ ≥ 92% AFUE		-1	Solid Fuel			
□ Zone 2 (≥ 5000 degree days)	□ ≥ 84% < 92% AFUE			Earth Energy			
Ratio of Windows, Skylights & Glass	(W, S & G) to Wall Area	Other Building Characteristics					
		•	□ ICF Above Grade				
Area of walls =ft <sup>2</sup>		□ Slab-on-ground □ Walkout Basement					
	W, S & G % =	☐ Air Conditioning ☐ Combo Unit					
Area of W, S & G = $_{_{_{_{_{_{_{_{_{_{_{_{_{_{_{1}}}}}}}}}$		☐ Air Source Heat Pump (ASHP)					
		☐ Ground Source Heat Pump (GSHP)					
SB-12 Performance Reference Building Design Package indicating the prescriptive package to be compared for compliance							
SB-12 Referenced Building Package (input design package): Package: Table:							

#### D. Building Specifications [provide values and ratings of the energy efficiency components proposed, or attach ENERGY STAR BOP form

Building Component	Minimum R or Maximu	SI / R values m U-Value <sup>(1)</sup>	Building Com onent	Efficiency Ratings
Thermal Insulation	Nominal	Effective	Windows & Doors Provide U-Value <sup>(1)</sup> or ER	rating
Ceiling with Attic Space			Windows/Sliding Glass Doors	
Ceiling without Attic Space			Skylights/Glazed Roofs	
Exposed Floor			Mechanicals	
Walls Above Grade			Heating Equip.(AFUE)	
Basement Walls			HRV Efficiency (SRE% at 0°C)	
Slab (all >600mm below grade)			DHW Heater (EF)	
Slab (edge only ≤600mm below grade)			DWHR (CSA B55.1 (min. 42% efficiency))	# Showers
Slab (all ≤600mm below grade, or heated)			Combined Space / Dom. Water Heating	·

<sup>(1)</sup> U value to be provided in either W/(m<sup>2</sup>•K) or Btu/(h•ft<sup>2</sup>•F) but not both.

E. Performance Design Verification [Subsection 3.1.2. Performance Compliance]						
The annual energy consumption using Subsection 3.1.1. Si	3-12 Reference Building	Package isGJ (1 GJ =1000MJ)				
The annual energy consumption of this house as designed	isGJ					
The software used to simulate the annual energy use of the	building is:					
The building is being designed using an air tightness baseli	ne of:					
☐ OBC reference ACH, NLA or NLR default values (no	depressurization test re	equired)				
☐ Targeted ACH, NLA or NLR. Depressurization test to	meetAC	CH50 or NLR or NLA				
☐ Reduction of overall thermal performance of the pro-		pe is not more than 25% of the				
☐ Standard Operating Conditions Applied (A-3.1.2.1 - 4	1.6.2)					
☐ Reduced Operating Conditions for Zero-rated homes Applied (A-3.1.2.1 - 4.6.2.5)						
□ On Site Renewable(s): Solar:						
Other Types:						
F. ENERGY STAR or R-2000 Performance Design Verification [Subsection 3.1.3. Other Acceptable Compliance Methods]						
☐ The NRCan "ENERGY STAR for New Homes Standard Version 12.6" technical requirements, applied to this building design result in the building performance meeting or exceeding the prescriptive performance requirements of the Supplementary Standard SB12 (A-3.1.3.1).						
☐ The NRCan, "2012 R-2000 Standard" technical requirements, applied to this building design result in the building performance meeting or exceeding the prescriptive performance requirements of the Supplementary Standard SB12 (A-3.1.3.1).						
Performance Energy Modeling Professional						
Energy Evaluator/Advisor/Rater/CEM Name and company:	Accreditation or Evaluator	r/Advisor/Rater License #				
ENERGY STAR or R-2000						
Energy Evaluator/Advisor/Rater/ Name and company:	Evaluator/Advisor/Rater I	License #				
G. Designer(s) [name(s) & BCIN(s), if applicable, of person(s) providing information herein to substantiate that design meets the building code]						
Qualified Designer: Declaration of designer to have reviewed and take responsibility for the design work.						
Name	BCIN	Signature				

Form authorized by OHBA, OBOA, LMCBO. Revised December 1, 2016

# Guide to the Energy Efficiency Design Summary Form for Performance & Other Acceptable Compliance Methods

#### COMPLETING THE FORM

#### **B.** Compliance Options

Indicate the compliance option being used.

- <u>SB-12 Performance</u> refers to the method of compliance in Subsection 3.1.2. of SB-12. Using this approach the designer must use recognized energy simulation software (such as HOT2000 V10.51 or newer), and submit documents which show that the annual energy use of the proposed building is equal to or less than a prescriptive (referenced) building package.
- <u>ENERGY STAR</u> houses must be designed to <u>ENERGY STAR</u> requirements and verified on completion by a licensed energy evaluator and/or service organization. The <u>ENERGY STAR</u> BOP form must be submitted with the permit documents.
- *R-2000* houses must be designed to the *R-2000 Standard* and verified on completion by a licensed energy evaluator and/or service organization. The HOT2000 report must be submitted with the permit documents.

#### C. Project Design Conditions

Climatic Zone: The number of degree days for Ontario cities is contained in Supplementary Standard SB-1 Windows, Skylights and Glass Doors: If the ratio of the total gross area of windows, sidelights, skylights, glazing in doors and sliding glass doors to the total gross area of walls is more than 17%, higher efficiency glazing is required. The total area is the sum of all the structural rough openings. Some exceptions apply. Refer to 3.1.1.1. of SB-12 for further details.

Fuel Source and Heating Equipment Efficiency: The fuel source and efficiency of the proposed heating equipment must be specified in order to determine which <u>SB-12 Prescriptive</u> compliance package table applies. Other Building Conditions: These construction conditions affect SB-12 Prescriptive compliance requirements.

#### D. Building Specifications

*Thermal Insulation*: Indicate the RSI or R-value being proposed where they apply to the house design. Refer to SB-12 for further details.

#### E. Performance Design Summary

A summary of the performance design applicable only to the SB-12 Performance option.

#### F. ENERGY STAR or R-2000 Performance Method

Design to ENERGY STAR or R-2000 Standards.

#### G. House Designer

The building code requires designers providing information about whether a building complies with the building code to have a BCIN. Exemptions apply to architects, engineers and owners designing their own house.

#### BUILDING CODE REQUIREMENTS FOR AIRTIGHTNESS IN NEW HOUSES

All houses must comply with increased air barrier requirements in the building code. Notice of air barrier completion must be provided and an inspection conducted prior to it being covered.

The air leakage rates in Table 3.1.2.1. are not requirements. The Table is not intended to require or suggest that the building meet those airtightness targets. They are provided only as default or reference values for the purpose of annual energy simulations, should the builder/owner decide to perform such simulations. They are given in three different metrics; ACH, NLA, NLR. Any one of them can be used. They can be used as a default values for both a reference and proposed building or, where an air leakage test is conducted and credit for airtightness is claimed, the airtightness values in Table 3.1.2.1. can be used for the reference building and the actual leakage rates obtained from the air leakage test can be used as inputs for the proposed building.

OBC Reference Default Air Leakage Rates (Table 3.1.2.1.)

Detached dwelling	3.0 ACH50	NLA 2.12 cm <sup>2</sup> /m <sup>2</sup>	NLR 1.32 L/s/m <sup>2</sup>
Attached dwelling	3.5 ACH50	NLA 2.27 cm <sup>2</sup> /m <sup>2</sup>	NLR 1.44 L/s/m <sup>2</sup>

The building code requires that a blower door test be conducted to verify the air tightness of the house during construction if the <u>SB-12 Performance</u> option is used and an air tightness of less than 3.0 ACH @ 50 Pa (or NLA or NLR equivalent) in the case of detached houses, or 3.5 ACH @ 50 Pa (or NLA or NLR equivalent) in the case of attached houses is necessary to meet the required energy efficiency standard.

#### ENERGY EFFICIENCY LABELING FOR NEW HOUSES

*ENERGY STAR* and R-2000 may issue labels for new homes constructed under their energy efficiency programs. The building code does not currently regulate or require new home labeling.